



# e line

e 100.25 | e 120.25 | e 140.25 |  
e 140.30 | e 160.30 | e 200.30 |

## LEADING MANUFACTURER OF FLATWORK IRONERS

### LEADING SPECIALIST MANUFACTURER

GMP is the European leading specialist manufacturer of flatwork ironers for OPL, commercial and small/medium industrial laundry segments.

### DEDICATED IRONING SOLUTIONS & WORLDWIDE PRESENCE

GMP offers the widest choice of flatwork ironers in Europe, providing dedicated ironing solutions to meet the worldwide demands of the most various business segments: hotels and restaurants, commercial and industrial laundries, communities, army, oil platforms, camps, shipboard laundries, self-service laundries, tailor industry.

GMP is present in more than 80 countries in the world.

### COMMITMENT TO INNOVATION

5 international patents cover innovative solutions, which have often represented evolution steps for the whole industry.

GMP constantly monitors field statistics and gathers inputs from the market, studying new solutions and testing the most modern materials to increase machinery efficiency for the maximum customer benefits.

Reliability and distinctive quality are the basic points GMP research&development department looks at when developing new projects.

Because this is the most concrete way to demonstrate our customers are important for us.

### CARING ABOUT OUR CUSTOMERS

Being a customer focussed company has been a key factor of GMP success since the very first steps in this industry: our sales and service teams are trained to assist you with a competent advice for a confident choice of the most appropriate solution for your business, with prompt technical assistance and with quick deliveries of genuine spare parts.

Our people are not only prepared to help you, but genuinely happy to do so.  
Experience an unmatched service level.  
Experience GMP.



**e line**

## UNMISTAKABLE DESIGN FOR UNMATCHED RELIABILITY & SAFETY



Chromed Chest.



Feeding Profile.



### 1 Patented Roll Removing System Fast and Easy Reconditioning

Fully reconditioning your ironer in less than an hour and renovating the original ironing finish is now possible, thanks to the patented "roll removing system".

Original GMP spare roll is assembled in the factory by automatic and specifically designed tool machinery, according to the strictest quality standards, and will ensure perfect ironing results.

### 2 Aluminium Feeding Table

Feeding your linen has become simpler thanks to the purposely shaped feeding profile. Aluminium surface can be easily cleaned and will grant the hygiene of your laundry.

### 3 Chromed Chest

Chromed steel has proven to be the best possible choice for ironing: it ensures an excellent resistance to friction and an extreme longevity.

### 4 Double Temperature Sensors

The best and most accurate temperature control system available, with 2 probes monitoring the temperature across the whole ironing surface.

GMP exclusive system avoids fluctuation, automatically cutting off the heating when unbalances or limit temperatures are detected by the probes.

Concrete benefits:

- Protects your laundry: no scorching.
- Extends the lifespan of the roller covering.
- No energy loss.

### 5 Reducing Utilities Costs

Double-sensor temperature control system, matched with a newly designed heat protection featuring a sensitively enhanced insulation, reduces heat dispersion, improves its redistribution on the ironing surface and cuts energy losses.

### 6 Practical Foot Pedal

Stops the roller rotation and leaves your hands free to accommodate the linen in the feeding process.

### 7 Painted Feeding Basin

Long items to feed? GMP has realized a specific feeding basin for easy handling of your laundry.

### 8 User Friendly Control Panel


Large, simple and extremely easy to understand. Ironing speed and temperature can be freely programmed by the operator to suit the fabric processed.

### 9 Interchangeable Voltage on E.25 Models

Voltage can be configured in the field, according to site needs: V.230/1/50-60Hz, V.230/3/50-60Hz, V.400/3N/50-60Hz.

e line

## TECHNICAL DATA



	E100.25	E120.25	E140.25	E140.30	E160.30	E200.30
<b>Roller dimensions</b>	1000 x Ø250 mm	1200 x Ø250 mm	1400 x Ø250 mm	1400 x Ø300 mm	1600 x Ø300 mm	2000 x Ø300 mm
<b>Supply tension, *configurable</b>	V.230/1/50-60Hz V.230/3/50-60Hz V.400/3N/50-60Hz	V.230/1/50-60Hz V.230/3/50-60Hz V.400/3N/50-60Hz	V.230/1/50-60Hz V.230/3/50-60Hz V.400/3N/50-60Hz	V.400/3N/50Hz	V.400/3N/50Hz	V.400/3N/50Hz
<b>Heating power</b>	6 kW	6,9 kW	7,5 kW	9,9 kW	11,4 kW	15 kW
<b>Motor(s)</b>	0,18 kW	0,18 kW	0,18 kW 0,24 kW for .A	1,1 kW	1,1 kW	1,1 kW
<b>Absorption (Amps)</b>	V.230/1: 19,2A V.230/3: 15,7A V.400/3: 9A	V.230/1: 22A V.230/3: 18A V.400/3: 10,4A	V.230/1: 24A V.230/3: 19,6A V.400/3: 11,3A	V.230/3: 27,8A V.400/3: 16A	V.230/3: 31,5A V.400/3: 18,2A	V.230/3: 40,6A V.400/3: 23,3A
<b>Ironing speed, variable</b>	1 : 5 m/min	1 : 5 m/min	1 : 5 m/min	1 : 5 m/min	1 : 5 m/min	1 : 5 m/min
<b>Steam extraction</b>	n/a	n/a	optional Ø70 mm, 120 m³/h	standard Ø75 mm, 360 m³/h	standard Ø75 mm, 360 m³/h	standard Ø75 mm, 360 m³/h
<b>Hourly production (recommended moisture)</b>	25 kg (15-20%)	30 kg (15-20%)	35 kg (20-25%)	40 kg (25%)	50 kg (25%)	60 kg (25%)
<b>Ironer dimensions (wxdxh)</b>	1520x445x1070 mm	1720x445x1070 mm	1920x445x1070 mm	1970x540x1080 mm	2170x540x1080 mm	2570x540x1080 mm
<b>Packing dimensions, crated (wxdxh)</b>	1690x580x1250 mm	1890x580x1250 mm	2090x580x1250 mm	2140x690x1300 mm	2300x690x1300 mm	2740x730x1400 mm
<b>Weight, gross/net</b>	140/104 kg	146/110 kg	189/151 kg	263/219 kg	278/231 kg	306/253 kg

\* DIFFERENT VOLTAGES THAN INDICATED AVAILABLE ON OPTION, PLEASE CONTACT OUR SALES OFFICES

## OPTIONS


## INVESTING ON THE ROLLER PADDING: TENAX

TENAX is a stainless steel padding that replaces the standard roller padding made of steelwool. Purposely studied and dimensioned by GMP for its products, TENAX lasts for the entire life of the ironer and opposite to the steelwool does not require any maintenance.

**5 years warranty for TENAX padding.**

In a medium-term perspective, TENAX should rather be considered as an investment with immediate return than as a pure cost: in fact, it guarantees a considerable reduction of maintenance and running expenses, improving at the same time the ironing quality and productivity.

If you already own an E line ironer and you wish to upgrade to TENAX, please contact our sales offices: we would be more than glad to supply you further information and the best quotation.



## SOLUTIONS FOR COIN-OP LAUNDRIES

GMP has studied special solutions for self-service operation: E line can be easily configured for connection to coin meter or central payment systems with multiple functions.

Customized ABS covers are also available to match the design of your shop.

