



INDUSTRIAL TUMBLE-DRYER

1250 11 KG
1285 13 KG
1345 16 KG

FEATURES


- Standard stainless steel drum with large diameter
- Easy-to-use microprocessor (ECT)
- Innovative bulged drum
- Combination of radial and axial airflow
 - maximal heat transfer
 - low energy consumption
 - short drying time
- Large door opening for easy loading and unloading
- Self cleaning lint screen

OPTIONS

- Reverse drum
- Full Control Programmer (FCT)
- Residual moisture control
 - safe drying of delicate linen
 - humidity detection in %
 - ideal in combination with Softwash®
 - Ideal for dry cleaners, fire departments
 - available on Easy and Full Control
- Stainless steel front



LARGE DOOR
OPENING



ENERGY
EFFICIENT



STANDARD
STAINLESS
STEEL DRUM

	1250	1285	1345
DRUM			
CAPACITY (KG)	11	13	16
VOLUME (L)	250	285	345
DIAMETER (MM)	Ø760		
NUMBER OF DRUMS	1	1	1
NUMBER OF LOADING DOORS	1	1	1
DRYING PERFORMANCE			
AIRFLOW (M ³ /H)	520	550	600
DRYING AVERAGE (L/MIN)	0,166 (EL) / 0,187 (G)	0,206 (EL) / 0,223 (G)	0,260 (EL) / 0,270 (G)
GAS HEATING			
GAS CONNECTION (IN)	3/4"		
ELECTRICAL CONNECTION	3x220-240V 50Hz, 1x220-240V 50Hz, 3x380-415V 50Hz		
ENERGY (KW)	16,5	19,5	25
ENERGY (kBTU/H)	56,3	66,5	85,3
ELECTRICAL HEATING			
ELECTRICAL CONNECTION	3x220-240V 50Hz, 3x380-415V 50Hz, 3x480V 60Hz		
ENERGY (kW)	13,5	18,0	24,0
STEAM HEATING			
STEAM CONNECTION (NPT)	3/4"		
ELECTRICAL CONNECTION	3x220-240V 50Hz, 1x220-240V 50Hz, 3x380-415V 50Hz	3x220-240V 50Hz, 1x220-240V, 3x380-415V 50Hz	
STEAM OUTPUT * (kW)	16,5-22	19,5-27	22-32
STEAM PRESSURE (BAR)	3-6/7-10	3-6/7-10	3-6/7-10
MOTOR			
FAN (KW)	0,55	0,55	0,55
DRIVE (KW)	0,25	0,25	0,25
PROGRAMMER			
EASY CONTROL - antivandal (ECT)	Standard	Standard	Standard
FULL CONTROL	Available	Available	Available
DIMENSIONS			
H X W X D (MM)	1680 x 795 x 1070	1680 x 795 x 1240	1680 x 795 x 1280
NET WEIGHT (KG)	230	250	250
TRANSPORT DATA			
PACKED H X W X D (MM)	1785 x 855 x 1100	1785 x 855 x 1190	1785 x 855 x 1310
GROSS WEIGHT (KG)	240	265	270

* Steam output is flexible depending on steam pressure, The data concerning dimensions of machines include all extended parts

